



# Formatting Syntax

 [DokuWiki](#) supports some simple markup language, which tries to make the datafiles to be as readable as possible. This page contains all possible syntax you may use when editing the pages. Simply have a look at the source of this page by pressing the *Edit this page* button at the top or bottom of the page. If you want to try something, just use the [playground](#) page. The simpler markup is easily accessible via  [quickbuttons](#), too.

## Basic Text Formatting

DokuWiki supports **bold**, *italic*, underlined and monospaced texts. Of course you can ***combine*** all these.

```
DokuWiki supports bold, //italic//, __underlined__ and 'monospaced'
texts.
Of course you can __//'combine'//__ all these.
```

You can use <sub>subscript</sub> and <sup>superscript</sup>, too.

```
You can use <sub>subscript</sub> and <sup>superscript</sup>, too.
```

You can mark something as deleted as well.

```
You can mark something as <del>deleted</del> as well.
```

**Paragraphs** are created from blank lines. If you want to **force a newline** without a paragraph, you can use two backslashes followed by a whitespace or the end of line.

This is some text with some linebreaks

Note that the two backslashes are only recognized at the end of a line  
or followed by  
a whitespace \\this happens without it.

```
This is some text with some linebreaks\\ Note that the
two backslashes are only recognized at the end of a line\\
or followed by\\ a whitespace \\this happens without it.
```

You should use forced newlines only if really needed.

## Links

DokuWiki supports multiple ways of creating links.

## External


External links are recognized automatically: <http://www.google.com> or simply [www.google.com](http://www.google.com) - You can set the link text as well: [This Link points to google](#). Email addresses like this one: [andi@splitbrain.org](mailto:andi@splitbrain.org) are recognized, too.

```
DokuWiki supports multiple ways of creating links. External links are
recognized
automagically: http://www.google.com or simply www.google.com - You can set
link text as well: [[http://www.google.com|This Link points to google]].
Email
addresses like this one: <andi@splitbrain.org> are recognized, too.
```

## Internal

Internal links are created by using square brackets. You can either just give a [pagename](#) or use an additional [link text](#).

```
Internal links are created by using square brackets. You can either just
give
a [[pagename]] or use an additional [[pagename|link text]].
```

 [Wiki pagenames](#) are converted to lowercase automatically, special characters are not allowed.

You can use [namespaces](#) by using a colon in the pagename.



```
You can use [[some:namespaces]] by using a colon in the pagename.
```

For details about namespaces see  [namespaces](#).



Linking to a specific section is possible, too. Just add the section name behind a hash character as known from HTML. This links to [this Section](#).

```
This links to [[syntax#internal|this Section]].
```

Notes:

- Links to [existing pages](#) are shown in a different style from [nonexisting](#) ones.
- DokuWiki does not use  [CamelCase](#) to automatically create links by default, but this behavior can be enabled in the  [config](#) file. Hint: If DokuWiki is a link, then it's enabled.
- When a section's heading is changed, its bookmark changes, too. So don't rely on section linking too much.


## Interwiki

DokuWiki supports  [Interwiki](#) links. These are quick links to other Wikis. For example this is a link to Wikipedia's page about Wikis:  [Wiki](#).

DokuWiki supports `[[doku>Interwiki]]` links. These are quick links to other Wikis.

For example this is a link to Wikipedia's page about Wikis: `[[wp>Wiki]]`.

## Windows Shares

Windows shares like [this](#) are recognized, too. Please note that these only make sense in a homogeneous user group like a corporate  [Intranet](#).

Windows Shares like `[[\\server\share|this]]` are recognized, too.

Notes:

- For security reasons direct browsing of windows shares only works in Microsoft Internet Explorer per default (and only in the “local zone”).
- For Mozilla and Firefox it can be enabled through different workaround mentioned in the [Mozilla Knowledge Base](#). However, there will still be a JavaScript warning about trying to open a Windows Share. To remove this warning (for all users), put the following line in `conf/local.protected.php`:

`$lang['js']['nosmblinks'] = ;` ===== Image Links ===== You can also use an image to link to another internal or external page by combining the syntax for



links and [images](#) (see below) like this:


Please note: The image formatting is the only formatting syntax accepted in link names. The whole [image](#) and [link](#) syntax is supported (including image resizing, internal and external images and URLs and interwiki links).

===== Footnotes ===== You can add footnotes <sup>1)</sup> by using double parentheses. You can add footnotes <sup>2)</sup> by using double parentheses. =====

Sectioning ===== You can use up to five different levels of headlines to structure your content. If you have more than three headlines, a table of contents is generated automatically – this can be disabled by including the string `<nowiki></nowiki>` in the document. =====

Level 3 ===== == Headline Level 4 == == Headline Level 5 == =====

Headline Level 3 ===== == Headline Level 4 == == Headline Level 5 == By

using four or more dashes, you can make a horizontal line: -- =====  
Images and Other Files ===== You can include external and internal  [images](#) with curly brackets. Optionally you can specify the size of them.



Real size:

Resize to given width:



Resize to given

width and height<sup>3)</sup>:



Resized external image:

Real size:



Resize to given width:



Resize to given

width and height:



Resized external image:

By

using left or right whitespaces you can choose the alignment.



Of course, you can add a title (displayed as a tooltip by most browsers), too.





If you specify a filename (external or internal) that is not an image (gif, jpeg, png), then it will be displayed as a link instead. For linking an image to another page see [Image Links](#) above. ===== Lists ===== Dokuwiki supports ordered and unordered lists. To create a list item, indent your text by two spaces and use a \* for unordered lists or a - for ordered ones. \* This is a list \* The second item \* You may have different levels \* Another item - The same list but ordered - Another item - Just use indentation for deeper levels - That's it <code> \* This is a list \* The second item \* You may have different levels \* Another item - The same list but ordered - Another item - Just use indentation for deeper levels - That's it </code> Also take a look at the [FAQ on list items](#). ===== Text Conversions ===== DokuWiki can convert certain pre-defined characters or strings into images or other text or HTML. The text to image conversion is mainly done for smileys. And the text to HTML conversion is used for typography replacements, but can be configured to use other HTML as well. ===== Text to Image Conversions ===== DokuWiki converts commonly used [emoticons](#) to their graphical equivalents. Those [Smileys](#) and other images can be configured and extended. Here is an overview of

Smileys included in DokuWiki: \* 😎 8-) \* 😳 8-0 \* 😞 :- ( \* 😊 :- ) \* 😄 =) \* 😟 :-/ \* 😠 :-\ \* 😇 :-? \* 😬 :-D \* 😛 :-P \* 😲 :-0 \* 🗑 :-X \* 😐 :-| \* 😊 ;- ) \* 😁 ^\_^ \* ❓ :?: \* !

!:: \* 🤣 LOL \* 🛠 **Fix Me!** 🗑 **Delete!** DELETEME

===== Text to HTML Conversions ===== Typography: [DokuWiki](#) can convert simple text characters to their typographically correct entities. Here is an example of recognized characters. → ← ↔ ⇒ ⇐ ⇔ » « – — 640×480 © ™ ® “He thought 'It's a man's world'...” <code> → ← ↔ ⇒ ⇐ ⇔ » « – — 640×480 © ™ ® “He thought 'It's a man's world'...” </code> The same can be done to produce any kind of HTML, it just needs to be added to the [pattern file](#). There are three exceptions which do not come from that pattern file: multiplication entity (640×480), 'single' and “double quotes”. They can be turned off through a [config option](#). ===== Quoting ===== Some times you want to mark some text to show it's a reply or comment. You can use the following syntax: I think we should do it > No we shouldn't » Well, I say we should > Really? » Yes! »> Then lets do it! I think we should do it > No we shouldn't » Well, I say we should > Really? » Yes! »> Then lets do it! ===== Tables ===== DokuWiki supports a simple syntax to create tables. ^ Heading 1 ^

Heading 2 ^ Heading 3 ^ | Row 1 Col 1 | Row 1 Col 2 | Row 1 Col 3 | |  
 Row 2 Col 1 | some colspan (note the double pipe) || | Row 3 Col 1 | Row  
 3 Col 2 | Row 3 Col 3 | Table rows have to start and end with a | for  
 normal rows or a ^ for headers. ^ Heading 1 ^ Heading 2 ^ Heading 3 ^ |  
 Row 1 Col 1 | Row 1 Col 2 | Row 1 Col 3 | | Row 2 Col 1 | some colspan  
 (note the double pipe) || | Row 3 Col 1 | Row 3 Col 2 | Row 3 Col 3 | To  
 connect cells horizontally, just make the next cell completely empty as  
 shown above. Be sure to have always the same amount of cell separators!  
 Vertical tableheaders are possible, too. | ^ Heading 1 ^ Heading 2 ^ ^  
 Heading 3 | Row 1 Col 2 | Row 1 Col 3 | ^ Heading 4 | no colspan this  
 time | | ^ Heading 5 | Row 2 Col 2 | Row 2 Col 3 | As you can see, it's  
 the cell separator before a cell which decides about the formatting: | ^  
 Heading 1 ^ Heading 2 ^ ^ Heading 3 | Row 1 Col 2 | Row 1 Col 3 | ^  
 Heading 4 | no colspan this time | | ^ Heading 5 | Row 2 Col 2 | Row 2  
 Col 3 | You can have rowspans (vertically connected cells) by adding :::  
 into the cells below the one to which they should connect. ^ Heading 1 ^  
 Heading 2 ^ Heading 3 ^ | Row 1 Col 1 | this cell spans vertically | Row  
 1 Col 3 | | Row 2 Col 1 | ::: | Row 2 Col 3 | | Row 3 Col 1 | ::: | Row  
 2 Col 3 | Apart from the rowspan syntax those cells should not contain  
 anything else. ^ Heading 1 ^ Heading 2 ^ Heading 3 ^ | Row 1 Col 1 |  
 this cell spans vertically | Row 1 Col 3 | | Row 2 Col 1 | ::: | Row 2  
 Col 3 | | Row 3 Col 1 | ::: | Row 2 Col 3 | You can align the table  
 contents, too. Just add at least two whitespaces at the opposite end of  
 your text: Add two spaces on the left to align right, two spaces on the  
 right to align left and two spaces at least at both ends for centered  
 text. ^ Table with alignment ^^ ^ | right| center |left | |left | right|  
 center | | xxxxxxxxxxxxxx | xxxxxxxxxxxxxx | xxxxxxxxxxxxxx | This is how it  
 looks in the source: ^ Table with alignment ^^ ^ | right| center |left |  
 |left | right| center | | xxxxxxxxxxxxxx | xxxxxxxxxxxxxx | xxxxxxxxxxxxxx |  
 Note: Vertical alignment is not supported. ===== No Formatting ===== If  
 you need to display text exactly like it is typed (without any  
 formatting), enclose the area either with %%<nowiki>%% tags or even  
 simpler, with double percent signs <nowiki>%%</nowiki>. This is some text  
 which contains addresses like this: http://www.splitbrain.org and  
 \*\*formatting\*\*, but nothing is done with it. The same is true for  
 //\_\_this\_\_ text// with a smiley ;-). This is some text which contains  
 addresses like this: http://www.splitbrain.org and \*\*formatting\*\*, but  
 nothing is done with it. The same is true for //\_\_this\_\_ text// with a  
 smiley ;-). ===== Code Blocks ===== You can include code blocks into  
 your documents by either indenting them by at least two spaces (like  
 used for the previous examples) or by using the tags %%<code>%% or  
 %%<file>%%. This is text is indented by two spaces. <code> This is  
 preformatted code all spaces are preserved: like <-this </code> <file>  
 This is pretty much the same, but you could use it to show that you  
 quoted a file. </file> Those blocks were created by this source: This is  
 text is indented by two spaces. <code> This is preformatted code all  
 spaces are preserved: like <-this </code> <file> This is pretty much the  
 same, but you could use it to show that you quoted a file. </file> =====  
 Syntax Highlighting ===== [DokuWiki](#) can highlight sourcecode, which makes  
 it easier to read. It uses the [GeSHi](#) Generic Syntax Highlighter – so any  
 language supported by GeSHi is supported. The syntax uses the same code

and file blocks described in the previous section, but this time the name of the language syntax to be highlighted is included inside the tag, e.g. `<nowiki><code java></nowiki>` or `<nowiki><file java></nowiki>`. `<code java> class HelloWorldApp { public static void main(String[] args) { System.out.println("Hello World!"); Display the string. } } </code>` *The following language strings are currently recognized:* 4cs, 6502acme, 6502kickass, 6502tasm, 68000devpac, abap, actionscript-french, actionscript, actionscript3, ada, algol68, apache, applescript, asm, asp, autoconf, autohotkey, autoit, avisynth, awk, bascomavr, bash, basic4gl, bf, bibtex, blitzbasic, bnf, boo, c, *cloadranner*, cmac, caddcl, cadlisp, cfdg, cfm, chaiscript, cil, clojure, cmake, cobol, coffeescript, cpp, cpp-qt, csharp, css, cuesheet, d, dcs, delphi, diff, div, dos, dot, e, epc, ecmascript, eiffel, email, erlang, euphoria, fl, falcon, fo, fortran, freebasic, fsharp, gambas, genero, genie, gdb, glsl, gml, gnuplot, go, groovy, gettext, gwbasic, haskell, higest, hq9plus, html, html5, icon, idl, ini, inno, intercal, io, j, java5, java, javascript, jquery, kixtart, klonex, klonexcpp, latex, lb, lisp, llvm, locobasic, logtalk, lolcode, lotusformulas, lotusscript, lscript, lsl2, lua, m68k, magiksf, make, mapbasic, matlab, mirc, modula2, modula3, mmix, mpasm, mxml, mysql, newlisp, nsis, oberon2, objc, object, ocaml-brief, ocaml, oobas, oracle8, oracle11, oxygene, oz, pascal, pcre, perl, perl6, per, pf, php-brief, php, pike, pic16, pixelbender, pli, plsql, postgresql, povray, powerbuilder, powershell, proftpd, progress, prolog, properties, providex, purebasic, pycon, python, q, qbasic, rails, rebol, reg, robots, rpmspec, rsplus, ruby, sas, scala, scheme, scilab, sdlbasic, smalltalk, smarty, sql, systemverilog, tcl, teraterm, text, thinbasic, tsql, typoscript, unicon, uscript, vala, vbnet, vb, verilog, vhdl, vim, visualfoxpro, visualprolog, whitespace, winbatch, whois, xbasic, xml, xorg\_conf, xpp, yaml, z80, zxbasic

==== Downloadable Code Blocks ==== *When you use the <code> or <file> syntax as above, you might want to make the shown code available for download as well. You can do this by specifying a file name after language code like this:*

```
<code> <file php myexample.php> <?php echo "hello world!"; ?> </file>
</code> <file php myexample.php> <?php echo "hello world!"; ?> </file>
```


*If you don't want any highlighting but want a downloadable file, specify a dash (-) as the language code: <code - myfile.foo>.*

==== Embedding HTML and PHP ==== *You can embed raw HTML or PHP code into your documents by using the <html> or <php> tags. (Use uppercase tags if you need to enclose block level elements.) HTML example:*

```
<code> <html> This is some inline HTML </html> <HTML> <p style="border:2px dashed red;">And this is some block HTML</p> </HTML> </code> <html> This is some inline HTML </html> <HTML> <p style="border:2px dashed red;">And this is some block HTML</p> </HTML>
```


*PHP example:*

```
<code> <php> echo 'A logo generated by PHP: '; echo ''; echo '(generated inline HTML)'; </php> <PHP> echo '<table class="inline"><tr><td>The same, but inside a block level element:</td>'; echo '<td></td>'; echo '</tr></table>'; </PHP> </code> <php> echo 'A logo generated by PHP: '; echo ''; echo '(inline HTML)'; </php> <PHP> echo '<table
```

```
class="inline"><tr><td>The same, but inside a block level
element:</td>'; echo '<td><img src="" . $SERVER['PHPSELF'] . '?' = ' .
phplogoguid() . '" alt="PHP Logo !" /></td>'; echo '</tr></table>';
</PHP> Please Note: HTML and PHP embedding is disabled by default in the
configuration. If disabled, the code is displayed instead of executed.
===== RSS/ATOM Feed Aggregation ===== DokuWiki can integrate data from
external XML feeds. For parsing the XML feeds, SimplePie is used. All
formats understood by SimplePie can be used in DokuWiki as well. You can
influence the rendering by multiple additional space separated
parameters: ^ Parameter ^ Description ^ | any number | will be used as
maximum number items to show, defaults to 8 | | reverse | display the
last items in the feed first | | author | show item authors names | |
date | show item dates | | description | show the item description. If 
HTML is disabled all tags will be stripped | | n[dhm] | refresh period,
where d=days, h=hours, m=minutes. (e.g. 12h = 12 hours). | The refresh
period defaults to 4 hours. Any value below 10 minutes will be treated
as 10 minutes. DokuWiki will generally try to supply a cached version of
a page, obviously this is inappropriate when the page contains dynamic
external content. The parameter tells DokuWiki to re-render the page if
it is more than refresh period since the page was last rendered.
```

**Example:**

- [Plex's Upcoming App Redesign is a Big Swing at Going Legit](#) by msmash (2024/11/22 18:57)
- [How the World's Vital Undersea Data Cables Are Being Targeted](#) by msmash (2024/11/22 17:50)
- [Amazon Doubles Investment in AI Startup Anthropic To \\$8 Billion](#) by msmash (2024/11/22 17:02)
- [OpenAI Considers Taking on Google With Browser](#) by msmash (2024/11/22 16:23)
- [Apple's Browser Rules Stifle Innovation on iOS, Says UK Regulator](#) by msmash (2024/11/22 15:42)
- [Plex's Upcoming App Redesign is a Big Swing at Going Legit](#) by msmash (2024/11/22 18:57)
- [How the World's Vital Undersea Data Cables Are Being Targeted](#) by msmash (2024/11/22 17:50)
- [Amazon Doubles Investment in AI Startup Anthropic To \\$8 Billion](#) by msmash (2024/11/22 17:02)
- [OpenAI Considers Taking on Google With Browser](#) by msmash (2024/11/22 16:23)
- [Apple's Browser Rules Stifle Innovation on iOS, Says UK Regulator](#) by msmash (2024/11/22 15:42)

===== Control Macros ===== Some syntax influences how DokuWiki renders a page without creating any output it self. The following control macros are available: ^ Macro ^ Description | | ~~NOTOC~~ | If this macro is found on the page, no table of contents will be created | | ~~NOCACHE~~ | DokuWiki caches all output by default. Sometimes this might not be wanted (eg. when the <php> syntax above is used), adding this macro will force DokuWiki to rerender a page on every call | ===== Syntax Plugins ===== DokuWiki's syntax can be extended by  [Plugins](#). How the installed plugins are used is described on their appropriate description pages. The following syntax plugins are available in this particular DokuWiki installation:

- [Access Counter and Popularity Plugin 2020-06-11](#) by [HokkaidoPerson](#)  
Export the number of those who visited a specified page in your wiki today, yesterday, or



- in whole period. You can also show the list of the popularity according to the log data taken by the plugin. This plugin is ported from those of PukiWiki (with some customizing).
- [approve](#) 2024-06-25 by [Szymon Olewniczak](#)  
Page approval mechanism for dokuwiki.
  - [Bootstrap Wrapper Plugin](#) 2022-09-22 by [Giuseppe Di Terlizzi](#)  
Bootstrap Wrapper for DokuWiki
  - [Bureaucracy Plugin](#) 2023-05-16 by [Andreas Gohr](#)  
Create forms and generate pages or emails from them
  - [caption plugin](#) 2024-02-24 by [Till Biskup](#)  
adding figure and table captions
  - [ckgedit](#) 2022-10-06 by [Myron Turner](#)  
WYSIWYG plugin for Dokuwiki
  - [Cloud Plugin](#) 2023-02-11 by [Michael Hamann](#), [Michael Klier](#), [Gina Haeussge](#)  
Displays the most used words in a word cloud.
  - [color syntax plugin](#) 2022-10-19 by [Harald Hanche-Olsen](#)  
Write colored text in DokuWiki.
  - [comment](#) 2023-08-18 by [Gina Häußge](#), [Michael Klier](#)  
Add comments/notes to your wiki source that won't be shown on the page.
  - [CSV Plugin](#) 2022-01-03 by [Andreas Gohr](#)  
Displays a CSV file, or inline CSV data, as a table
  - [Structured Data Plugin](#) 2024-01-30 by [Andreas Gohr](#)  
Add and query structured data in your wiki
  - [discussion plugin](#) 2021-12-31 by [Michael Hamann](#), [Gerrit Uitslag](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#), [Matthias Schulte](#)  
Provides discussion functionality for wiki pages
  - [Dw2Pdf plugin](#) 2023-11-25 by [Andreas Gohr](#) and [Luigi Micco](#)  
DokuWiki to PDF converter
  - [folded plugin](#) 2023-07-22 by [Michael Hamann](#), [Fabian van-de-I\\_Isle](#), [Christopher Smith](#), [Esther Brunner](#)  
Foldable page sections
  - [Gallery Plugin](#) 2024-04-30 by [Andreas Gohr](#)  
Creates a gallery of images from a namespace or RSS/ATOM feed
  - [Plugin imagebox](#) 2023-08-21 by [Lukas Rademacher](#), [CvH](#), [Dr-Yukon](#), [FFTiger](#) & [myst6re](#)  
Syntax for display an image with a caption, like Wikipedia.org
  - [imagereference plugin](#) 2023-09-28 by [Gerrit Uitslag](#) (previous: [Martin Heinemann](#))  
Creates references to images/tables in your text, like the LaTeX figure references.
  - [Indexmenu Plugin](#) 2024-01-05 by [Samuele Tognini](#), [Gerrit Uitslag](#)  
Show a customizable and sortable index for a namespace
  - [Info Plugin](#) 2020-06-04 by [Andreas Gohr](#)  
Displays information about various DokuWiki internals
  - [Markdowku](#) 2021-12-04 by [Julian Fagir](#), [Raphael Wimmer](#) (maintainer)  
Integrates Markdown into Dokuwiki syntax
  - [Markdown Page Plugin](#) 2021-01-09 by [Mizunashi Mana](#)  
Write your own Markdown page
  - [Namespace Listing](#) 2016-01-24 by [Andreas Gohr](#)  
List all pages in a given namespace
  - [odtsupport plugin](#) 2023-01-31 by [Thomas Schäfer](#)  
Provides helpers that can be useful when creating ODT files with the odt plugin. For example, the plugin can pipe wiki page metadata into a field within the ODT result.
  - [OpenLayers map plugin for DokuWiki](#) 2024-08-06 by [Mark C. Prins](#)  
Provides a syntax for rendering an OpenLayers based map in a wiki page.

- [Pagelist Plugin 2023-08-27](#) by [Matthias Schulte](#), [Michael Hamann](#), [Michael Klier](#), [Gina Haeussge](#)  
Lists pages in a nice formatted way
- [PageQuery Plugin 2024-02-14](#) by [Mark C. Prins](#), [previously Symon Bent](#)  
Search for (fulltext) and list wiki pages, sorted and optionally grouped by name, date, creator, abc, etc. in columns. Insert the pagequery markup wherever you want your list to appear.  
E.g. `{{pagequery>[query;fulltext;sort=key:direction,key2:direction;group;limit=??;cols=?;inwords;proper]}}` [...] = optional
- [Publish Plugin 2022-09-08](#) by [Jarrod Lowe](#), [Andreas Gohr](#), [Dominik Eckelmann](#)  
Integrate a publishing process into DokuWiki
- [Searchable javascript 2010-10-22](#) by [Robert Henjes](#)  
Add `<searchtable>` and `</searchtable>` around your table.
- [sectiontoggle 2023-12-27](#) by [Myron Turner](#), [Elbie M](#)  
Toggles sections for display and hide by clicking headers
- [DokuWiki statdisplay plugin 2022-12-12](#) by [Andreas Gohr](#)  
Displays log statistics about your DokuWiki
- [Tag Plugin 2023-10-17](#) by [Michael Hamann](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#)  
tag wiki pages
- [ToDo 2024-05-10](#) by [Leo Eibler](#), [Christian Marg](#), [Markus Gschwendt](#), [Robert Weinmeister](#)  
Create a checkbox based todo list with optional user assignment (basic syntax: `<todo>This is a ToDo</todo>`). It can also be used as a lightweight task list management system.
- [Translation Plugin 2024-04-30](#) by [Andreas Gohr](#)  
Supports the easy setup of a multi-language wiki.
- [Video Sharing Site Plugin 2024-03-24](#) by [Andreas Gohr](#)  
Easily embed videos from various Video Sharing sites. Example: `{{youtube>XXXXXX}}`
- [Wrap Plugin 2023-08-13](#) by [Anika Henke](#)  
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.

1) , 2)

This is a footnote

3)

when the aspect ratio of the given width and height doesn't match that of the image, it will be cropped to the new ratio before resizing

From: <https://wiki.uni-koeln.de/!hescor/> -

Permanent link: <https://wiki.uni-koeln.de/!hescor/doku.php?id=wiki:syntax>

Last update: **2024/06/20 14:39**

